

Path Forward Committee (PFC)
June 2, 2026, 9:30 AM to 12:00 PM

Virtual Meeting Only

Instructions for remote access are provided on the last page of this agenda.

Materials related to the PFC Meeting will be placed on the UNRBA website unless noted otherwise:
[UNRBA Meetings Page](#).

I. Opening Comments, Agenda Review/Revisions — Co-Chairs Michelle Woolfolk and Terry Hackett

II. Status of IAIA Extension and Reminder for Year-End Reports

Item Summary (Forrest Westall): In November 2025, the UNRBA submitted a letter to the Director of the NC Division of Water Resources (DWR) and the Chair of the NC Environmental Management Commission (EMC) requesting extension of the Stage I Existing Development Interim Alternative Implementation Approach (IAIA) Program. Leadership from DWR has confirmed with their lawyers and the Chair and Executive Director of the EMC that the EMC does not need to approve extension of the IAIA Program. UNRBA's modification of the Bylaws is sufficient documentation for extension of the Program. This item was included in the May EMC meeting as an information item. Forrest has requested a letter of confirmation from the Director of DWR.

As a reminder, the fifth year of the IAIA ends June 30, 2026. IAIA participants are required to submit annual reports to DWR (John Huisman) by September 30th each year. Please copy Forrest and Alix on your submission so we can compile the UNRBA Annual Summary Report which will be reviewed and considered for approval by the UNRBA Compliance Group Committee at their November 18, 2026, meeting. The UNRBA Annual Summary Report is due to DWR by November 30th each year. The spreadsheet-based reporting template is available under the "IAIA" heading on the UNRBA website Resource Library: <https://unrba.org/resource-library>. Please remember to manually enter the rollover amount from last year's spreadsheet into this year's.

III. Status and Timeline of Falls Lake Rules Readoption Process

Item Summary (Forrest Westall): The UNRBA has continued to seek cooperation with DWR on a rule package that has a level of acceptance by the UNRBA that would support submittal to the EMC Water Quality Committee (WQC). DWR provided revised drafts of the four rule sections to the Executive Director of the UNRBA on April 22, 2026. Forrest distributed versions of the DWR April drafts with 1) new UNRBA comments on revised rule language and 2) comments from the PFC on DWR's previous draft rule to support your tracking of which comments have or have not been addressed. The Executive Director, PFC Co-Chairs, and support team met to discuss the revised drafts on April 29, 2026, and a summary of merged comments in terms of improvements, outstanding concerns, and summaries. A summary of merged comments was distributed to the PFC and was used to structure the [May PFC](#) meeting slides to cover progress on the rules. A high-level was provided to the Board at their May 20, 2026, meeting; these slides will be used to brief the PFC today.

For additional information and background on the history of the Falls Rules Readoption Process, please see the last page(s) of this agenda.

IV. FY2027 Budget and Contract Process

Item Summary (Forrest Westall): The UNRBA Board of Directors approved the budget for FY2027 and sources of funding proposed by the PFC at their March 18, 2026, meeting. The Executive Director and contractors have developed draft contracts and scopes of work. These contracts include the Brown and Caldwell contract for the Modeling and Regulatory Support and Communications Support Project and the Jones & Company contract for

financial services. Ownership of the current firm providing financial services (WWCEJ & Company) has been sold to Jones & Company; however, staff currently working for the UNRBA will remain engaged as employees with the new firm. These contracts and scopes of work will be finalized for approval by the Board at their June 17, 2026, meeting. The Executive Director will work with WSP (Dr. Martin Lebo) on a revised contract when needed.

V. Planning PFC Workshop on Best Practices for Implementing Falls Rules

Item Summary (Forrest Westall): Granville County and Wake County have requested a comparison and best practices across local governments for their implementation of stormwater rules and regulatory requirements within the Falls Lake Watershed. Earlier this year, the PFC discussed a workshop approach for UNRBA members to discuss and gather information. We will continue planning for this workshop which will occur after we get to a more stable status on the rules' drafting process with DWR resulting hopefully in a set of draft rules to the WQC that the UNRBA can "accept." This will be an excellent opportunity to share information and go over the procedures being used within the watershed. With the recent General Assembly action that revised new development requirements for single and duplex lots in the watershed that are not part of a common plan of development, it will be important for jurisdictions to be consistent in how projects of these types are handled.

VI. Communications

Item Summary (Forrest Westall): The work with DWR on the revised Falls Lake Rules continues. As we have continued to do, we encourage our jurisdictions to identify additional communication needs and to request support from the UNRBA team as needed. Recent, ongoing, or upcoming activities are noted below:

- Reviewing existing information for jurisdictional use in developing presentations and handouts
 - [Infographic](#)
 - [Fact Facts](#)
 - Presentation materials as requested
- Coordinating with DWR on an all stakeholders meeting prior to submission of rules to the EMC
- Providing status updates to the EMC
- Planning for a workshop for UNRBA members on implementation of Falls New Development Rules
- Planning a meeting with staff from the NC Office of State Budget Management in coordination with DWR
- Planning additional meeting(s) with EPA

The "open" nature of all UNRBA meetings remains a key component of a transparent communications approach. We encourage member representatives and interested individuals to speak up about ideas and opportunities to communicate our work and the importance of our recommendations on a revised strategy and a site-specific standard. We also continue to look to our engaged membership representatives to use materials developed to help with communication within their jurisdictions. We remain available to assist with any presentations/meetings that are set up to discuss Falls Lake and the status of our work and the rules readoption process.

VII. Other Items

VIII. Closing Comments— Co-Chairs Michelle Woolfolk and Terry Hackett

Upcoming meetings

Next Board Meeting Scheduled for June 17, 2026; 9:30 AM to 12:00 PM

Next PFC Meeting Scheduled for July 7, 2026; 9:30 AM to 12:00 PM

This schedule may be revised, and notices will be provided about any change.

Background on the Status of the Falls:

As a reminder and per [NC Session Law 2018-5](#), the Falls Lake Rules Readoption process was triggered by the NC Collaboratory report submittal in December 2023 and the UNRBA submittal of the [UNRBA Concepts and Principles for the Reexamination](#) and [Consensus Principles II](#). These UNRBA documents were sent to NC Division of Water Resources (DWR) and the Environmental Management Commission (EMC) on November 22, 2023. The UNRBA submitted their [final watershed model report](#) in December 2023 and [final lake model report](#) in December 2024. DWR has responded that the reports have been accepted and the models developed approved under the reexamination provision of the Falls Lake Rules. Relative to rule readoption work, the UNRBA initiated an informal stakeholder process started in December 2024 with four rule [workgroups](#). A summary of the drafts produced by the workgroups and later updated by the PFC and stakeholders has been discussed by the PFC at their May 6, 2025; June 3, 2025; July 1, 2025; August 5, 2025; September 2, 2025; October 7, 2025; November 4, 2025; and December 2, 2025, meetings. At the May 2025 meeting of the EMC, we learned that DWR had begun preparation of a set of draft Falls Lake Rules. No notice was provided to the UNRBA that this effort was underway, nor was there any information provided to the Association on how DWR planned to use the information developed during the extensive workgroup process to provide preliminary draft (draft-draft) rules. A rule readoption status update was provided at the January 6, 2026, PFC meeting.

On June 24, 2025, DWR hosted a Falls Rules Readoption Stakeholder Meeting. DWR provided the UNRBA with their draft rules on August 25th. The Executive Director, support team, and PFC Co-Chairs met with DWR staff on August 28th, August 29th, and September 16th to discuss DWR's drafts. In September, the UNRBA updated their draft rules to include the DWR language that was consistent with Consensus Principles II and the concepts outlined in the draft rules developed through the workgroup process.

UNRBA (Board Chair, Co-Chairs of the PFC, and the Executive Director and team), the Chair of the EMC, and leadership from the NC Department of Environmental Quality (DEQ) and Division of Water Resources (DWR) met to discuss key provisions of the Purpose and Scope Rule, Existing Managed Lands Rule, and New Development Rule on October 7, 2025. In October, the UNRBA revised its draft rules based on this discussion, our understanding of the points of agreement achieved, and redistributed this draft to the PFC, Board, and DWR. DWR referenced the UNRBA October drafts in their revisions to the drafts they had provided in August 2025. Meetings were held in December to discuss DWR's draft Existing Managed Lands Rule and New Development Rule and in February to discuss DWR's draft Purpose and Scope Rule. DWR provided updated drafts of these three rules in February along with their proposed Agriculture Rule. For a summary of the comments received from the PFC and Board during and following their March meetings see the April PFC meeting [slides](#).

Leading up to the UNRBA's work with DWR staff, the UNRBA leadership has been meeting with DEQ/DWR leadership and the EMC Chair since September 2025 to discuss the Wastewater Rule and work toward a compromise that can provide the wastewater treatment plants (WWTPs) with enough nitrogen allocation to cover at least the next rules readoption cycle (10 to 15 years). These meetings have also reviewed the status of updating the other rules based on the meetings in September and October. Regardless of the results of these discussions and language in updated drafts from DWR, the UNRBA members with WWTPs will have to decide whether or not to accept any compromise that DWR is willing to put forward. As of the date of this agenda, DWR has yet to provide a proposed draft of the Wastewater Rule they are recommending for readoption.

Relative to the Wastewater Rule and during the October 7, 2025, meeting, DWR requested documentation of the amount of nitrogen load reduction that has been achieved since the baseline year (2006). UNRBA developed this documentation (shared with the PFC previously) which shows a reduction of nearly 400,000 pounds per year of nitrogen since the baseline year (2006). These reductions are the result of several factors, including reduction actions in the watershed, changes in air deposition, and reduced nutrient loading from lake sediments resulting from lower nutrient loading inputs from the watershed. Following DWR’s review of that information (with really no feedback from DWR or any alternate information from the Division about alternate calculation methods), the UNRBA leadership met with DEQ and DWR Leadership and the EMC Chair on December 2, 2025, and January 13, 2026, to continue discussions. DWR noted that the conditions in the rules would need to be evaluated in 10 years following this current pending readoption, as required by the General Assembly (all environmental rules must be reviewed every 10 years for applicability, continuation, or modification). The UNRBA and our members with WWTPs previously provided information on the need for increased nitrogen allocation moving into the future. During the December 2nd meeting, DWR requested additional information to justify why more nitrogen load allocation would be needed above the 2006 baseline loads to cover the next ten years. We worked with the WWTP operators on this document and provided it to DWR ahead of the January 13th meeting and to the Board ahead of their January meeting. During the January 13th meeting, DWR again requested additional information. They asked for more justification on the flow projections based on population growth and planning documents. In response, we worked with the WWTP operators to compile their planning information and engineering studies. Forrest provided an updated version of the projections document to the PFC and Board. The UNRBA met with DEQ and DWR Leadership on February 2, 2026, to continue discussions. DWR provided a draft Wastewater Rule for our review on April 22, 2026. The PFC discussed this latest draft at the May 2026 meeting.

Remote Access Instructions for PFC Meetings

Equipment Type	Access Information	Notes
Computers with microphones and speakers	Join Microsoft Teams Meeting Please mute your microphone unless you want to provide input.	Press control and click on this link to bring up Microsoft Teams through the internet. You can view the screen share and communicate through your computer’s speakers and microphone.
Computers without audio capabilities, or audio that is not working	Join Microsoft Teams Meeting (888) 404-2493 Passcode: 371 817 961# Please mute your phone unless you want to provide input.	Follow instructions above. Turn down your computer speakers, mute your computer microphone , dial the number through your phone and enter the passcode.
Phone only	(888) 404-2493 Passcode: 371 817 961#	Dial the toll-free number and enter the passcode. Please mute your phone unless you want to provide input.

Remote Access Guidelines

- If you dial in through your phone, mute your microphone, and turn down your speakers to avoid feedback.
- Unless you are speaking, please mute your computer/device microphone or phone microphone to minimize background noise.